Review

Philipp Koehn

4 May 2017



Exam



• Date: Tuesday, May 18, 2pm–5pm

• Location: Hodson 213 (here)

- Format
 - closed book
 - 2 pages of notes allowed
- Grading: homework is 60%, exam is 40%

Lectures Covered By Exam



- Artificial Intelligence in Context not covered
- Intelligent Agents, Heuristic Search, and Game Playing
 - Intelligent Agents
 - Basic Search
 - Informed Search
 - Game Playing
 - Constraint Satisfaction
- Logic and Knowledge Representation
 - Logical Agents
 - First Order Logic
 - Inference in First-Order Logic
 - Knowledge Representation
 - Planning


- Uncertainty
 - Probabilistic Reasoning
 - Bayesian Networks
 - Markov Decision Processes
 - Decision Theory
- Machine Learning
 - Statistical Learning not covered
 - Neural Networks not covered
 - Reinforcement Learning
- Natural Language not covered



intelligent agents

Intelligent Agents






- Types of environments: (in)accessible, (non-)deterministic, (non)-episodic
- Types of agents: reflex, with memory, with goals, with learning, utility-based

Basic Search



- Problem solving agents
- Analysis
 - completeness
 - time complexity
 - space complexity
 - optimality
- Basic search algorithms
 - tree search
 - breadth / depth-first search
 - iterative deepening




Informed Search



• Best-first search

• A* search

- Heuristic algorithms
 - hill-climbing
 - simulated annealing



Game Playing




• Types of games

deterministic / probabilistic

- (im)perfect information

- Search over game tree
 - minimax algorithm
 - α - β pruning
 - evaluation functions



- Solvable games, but typically resource limits
- Probabilistic games: pruning with bounds

Constraint Satisfaction



- Variables, domains, constraints
- Backtracking search
- Constraint propagation
 - forward checking
 - arc consistency
- Problems structure
- Iterative algorithms

5	3			7				
6			1	9	5			
	9	8					6	
8				6				3
4			8		3			1
7				2				6
	6					2	8	
			4	1	9			5
				8			7	9




logic

Logical Agents



- Knowledge-based agents
 - internal representations
 - incorporate new percepts
 - deduce hidden properties of the world
- Logic
 - formal language (syntax)
 - truth in real world (semantics)
 - entailment and inference
- Algorithms
 - forward chaining
 - backward chaining
 - resolution




2

First Order Logic




- Adding
 - variables
 - relations
 - functions
 - quanitifiers
- Modeling natural language
- Dynamic world: states and fluents
- Situation calculus



Inference in First-Order Logic




Reducing first-order inference to propositional inference



Knowledge Representation




- Representation systems
- Categories and objects
 - → ontologies
- Frames
- Events and scripts
- Practical examples
 - Cyc
 - Semantic web



Planning

- Search vs. planning
- STRIPS operators
- Partial-order planning
- The real world
 - incomplete information
 - incorrect information
 - quantification problem
- Conditional planning
- Monitoring and replanning





uncertainty

Probabilistic Reasoning



- Uncertainty
- Probability
 - conditional probability
 - independence
 - Bayes rule
- Inference
- Independence and Bayes' Rule




Bayesian Networks



Bayesian Networks

Parameterized distributions


- Exact inference
 - inference by enumeration
 - variable elimination
- Approximate inference
 - rejection sampling
 - likelihood weighting
 - Markov chain Monte Carlo



Markov Decision Processes



- Temporal processes
- Hidden Markov models
- Inference
 - filtering
 - smoothing
 - best sequence
- Kalman filters




- Dynamic Bayesian nets
- Example: speech recognition

Decision Theory



- Rational preferences
- Utilities
- Decision networks
- Value of information
- Markov decision processes
- Inference algorithms
 - value iteration
 - policy iteration



• Partially observable Markov decision processes (POMDP)

Reinforcement Learning



• Rewards, often delayed

• Passive reinforcement learning (compute utility of policy)

adaptive dynamic programming

- temporal difference learning

• Active Reinforcement Learning

greedy agent

extended adaptive dynamic programming

Q-learning



• Policy search





exam questions

Sample Exam



- Exam will assess
 - understanding of core concepts
 - understanding of algorithms
 - → ability to carry them out by hand
- Exam will be similar to last years (posted on web site)

Sample Question



Logical knowledge representation

Which of the following are semantically and syntactically correct translations of "Everyone's zipcode within a state has the same first digit"?

- 1. \forall x, s, z1 [State(s) \land LivesIn(x, s) \land Zip(x) = z1] \Rightarrow [\forall y, z2 LivesIn(y, s) \land Zip(y) = z2 \Rightarrow Digit(1, z1) = Digit(1, z2)].
- 2. \forall x, s [State(s) \land LivesIn(x, s) \land \exists z1 Zip(x) = z1] \Rightarrow [\forall y, z2 LivesIn(y, s) \land Zip(y) = z2 \land Digit(1, z1) = Digit(1, z2)].
- 3. $\forall x, y, s \text{ State}(s) \land \text{LivesIn}(x, s) \land \text{LivesIn}(y, s) \Rightarrow \text{Digit}(1, \text{Zip}(x) = \text{Zip}(y)).$
- 4. $\forall x, y, s \text{ State}(s) \land \text{LivesIn}(x, s) \land \text{LivesIn}(y, s) \Rightarrow \text{Digit}(1, \text{Zip}(x)) = \text{Digit}(1, \text{Zip}(y)).$

Sample Question



Game playing

Consider the game of 2×2 tictactoe.

- 1. Draw the full game tree down to depth 2. You need not show nodes that are rotations or reflections of siblings already shown.
- 2. Circle any node that would not be evaluated by alpha—beta during a left-to-right exploration of your tree.



questions?