

# Secret-Key Encryption

601.642/442: Modern Cryptography

Fall 2019

# The Setting

- Alice and Bob share a secret key  $s \in \{0, 1\}^n$
- Alice wants to send a private message  $m$  to Bob
- Goals:
  - **Correctness:** Alice can compute an encoding  $c$  of  $m$  using  $s$ . Bob can decode  $m$  from  $c$  correctly using  $s$
  - **Security:** No eavesdropper can distinguish between encodings of  $m$  and  $m'$

# Definition

- **Syntax:**

- $\text{Gen}(1^n) \rightarrow s$
- $\text{Enc}(s, m) \rightarrow c$
- $\text{Dec}(s, c) \rightarrow m'$  or  $\perp$

All algorithms are polynomial time

- **Correctness:** For every  $m$ ,  $\text{Dec}(s, \text{Enc}(s, m)) = m$ , where  $s \xleftarrow{\$} \text{Gen}(1^n)$
- **Security:** ?

## Definition (Indistinguishability Security)

A secret-key encryption scheme  $(\text{Gen}, \text{Enc}, \text{Dec})$  is secure if for all n.u. PPT adversaries  $\mathcal{A}$ , there exists a negligible function  $\mu(\cdot)$  s.t.:

$$\Pr \left[ \begin{array}{l} s \xleftarrow{\$} \text{Gen}(1^n), \\ (m_0, m_1) \leftarrow \mathcal{A}(1^n), \\ b \xleftarrow{\$} \{0, 1\} \end{array} : \mathcal{A}(\text{Enc}(m_b)) = b \right] \leq \frac{1}{2} + \mu(n)$$

- 1 Think How does this definition guarantee that  $m$  is "hidden?"

# One-Time Pads

- $\text{Gen}(1^n) := s \xleftarrow{\$} \{0, 1\}^n$
- $\text{Enc}(s, m) := m \oplus s$
- Security:

$$\text{Enc}\left(s \xleftarrow{\$} \{0, 1\}^n, m_0\right) \equiv \text{Enc}\left(s \xleftarrow{\$} \{0, 1\}^n, m_1\right)$$

- 1 Think: Can we use the pad  $s$  to encrypt two messages?
- 2 Think: How to encrypt messages longer than  $n$  bits?

# Encryption using PRGs

- $\text{Gen}(1^n) := s \xleftarrow{\$} \{0, 1\}^n$
- $\text{Enc}(s, m) := m \oplus \text{PRG}(s)$
- Security:

$$\text{Enc}\left(s \xleftarrow{\$} \{0, 1\}^n, m_0\right) \approx \text{Enc}\left(s \xleftarrow{\$} \{0, 1\}^n, m_1\right)$$

Note:  $m$  can be polynomially long if we use poly-stretch PRG

- Think: Proof?
- Think: How to encrypt more than one message?

# Multi-message Secure Encryption

## Definition (Multi-message Secure Encryption)

A secret-key encryption scheme  $(\text{Gen}, \text{Enc}, \text{Dec})$  is multi-message secure if for all n.u. PPT adversaries  $\mathcal{A}$ , for all polynomials  $q(\cdot)$ , there exists a negligible function  $\mu(\cdot)$  s.t.:

$$\Pr \left[ \begin{array}{l} s \xleftarrow{\$} \text{Gen}(1^n), \\ \{(m_0^i, m_1^i)\}_{i=1}^{q(n)} \xleftarrow{\$} \mathcal{A}(1^n), \\ b \xleftarrow{\$} \{0, 1\} \end{array} : \mathcal{A} \left( \{\text{Enc}(m_b^i)\}_{i=1}^{q(n)} \right) = b \right] \leq \frac{1}{2} + \mu(n)$$

- 1 Think Security against *adaptive* adversaries?

# Necessity of Randomized Encryption

## Theorem (Randomized Encryption)

*A multi-message secure encryption scheme cannot be deterministic and stateless.*

Think: Proof?



# Encryption using PRFs

Let  $\{f_s : \{0, 1\}^n \rightarrow \{0, 1\}^n\}$  be a family of PRFs

- $\text{Gen}(1^n)$ :  $s \xleftarrow{\$} \{0, 1\}^n$
- $\text{Enc}(s, m)$ : Pick  $r \xleftarrow{\$} \{0, 1\}^n$ . Output  $(r, m \oplus f_s(r))$
- $\text{Dec}(s, (r, c))$ : Output  $c \oplus f_s(r)$

## Theorem (Encryption from PRF)

$(\text{Gen}, \text{Enc}, \text{Dec})$  is a multi-message secure encryption scheme

- Think: Proof?

# Proof of Security

Proof via hybrids:

- $H_1$ : Real experiment with  $m_0^1, \dots, m_0^{q(n)}$  (i.e.,  $b = 0$ )
- $H_2$ : Replace  $f_s$  with random function  $f \xleftarrow{\$} \mathcal{F}_n$
- $H_3$ : Switch to one-time pad encryption
- $H_4$ : Switch to encryption of  $m_1^1, \dots, m_1^{q(n)}$
- $H_5$ : Use random function  $f \xleftarrow{\$} \mathcal{F}_n$  to encrypt
- $H_6$ : Encrypt using  $f_s$ . Same as real experiment with  $m_0^1, \dots, m_0^{q(n)}$  (i.e.,  $b = 1$ )

Think: Non-adaptive vs adaptive queries

# Semantic Security

## Definition (Semantic Security)

A secret-key encryption scheme  $(\text{Gen}, \text{Enc}, \text{Dec})$  is semantically secure if there exists a PPT simulator algorithm  $\mathcal{S}$  s.t. the following two experiments generate computationally indistinguishable outputs:

$$\left\{ \begin{array}{l} (m, z) \leftarrow M(1^n), \\ s \leftarrow \text{Gen}(1^n), \\ \text{Output } (\text{Enc}(s, m), z) \end{array} \right\} \approx \left\{ \begin{array}{l} (m, z) \leftarrow M(1^n), \\ \text{Output } \mathcal{S}(1^n, z) \end{array} \right\}$$

where  $M$  is a machine that randomly samples a message from the message space and arbitrary auxiliary information.

- Indistinguishability security  $\Leftrightarrow$  Semantic security
- Think: Proof?

Secret-key Encryption in practice:

- Block ciphers with fixed input length (e.g., AES)
- Encryption modes to encrypt arbitrarily long messages (e.g., CBC)
- Stream ciphers for stateful encryption
- Cryptanalysis (e.g., Differential Cryptanalysis)