

Erratum to: Anatomically Constrained Video-CT Registration via the V-IMLOP Algorithm

Seth D. Billings¹, Ayushi Sinha¹(✉), Austin Reiter¹, Simon Leonard¹,
Masaru Ishii², Gregory D. Hager¹, and Russell H. Taylor¹

¹ The Johns Hopkins University, Baltimore, USA
asinha8@jhu.edu

² Johns Hopkins Medical Institutions, Baltimore, USA

Erratum to:
Chapter 16 in: S. Ourselin et al. (Eds.)
Medical Image Computing and Computer-Assisted
Intervention - MICCAI 2016
DOI: [10.1007/978-3-319-46726-9_16](https://doi.org/10.1007/978-3-319-46726-9_16)

The acknowledgement text of the initially published paper was missing. It should read as follows:

This work was funded by NIH R01-EB015530: Enhanced Navigation for Endoscopic Sinus Surgery through Video Analysis and NSF Graduate Research Fellowship Program.

The updated original online version for this chapter can be found at
DOI: [10.1007/978-3-319-46726-9_16](https://doi.org/10.1007/978-3-319-46726-9_16)

© Springer International Publishing AG 2016
S. Ourselin et al. (Eds.): MICCAI 2016, Part III, LNCS 9902, p. E1, 2016.
DOI: [10.1007/978-3-319-46726-9_73](https://doi.org/10.1007/978-3-319-46726-9_73)