## **Midterm Exam**

600.664 Artificial Intelligence Spring 2025

T.T	_	m	_	_
1.	9	m	Δ	•
Τ.	u	.111	·	

## **Instructions**

- Please be sure to write your name in the space above!
- Please be sure to read through the entire exam before you start, and be mindful of the time. If one question is taking too long, it may be worth moving on and coming back to the problem question(s) after the rest of the exam is complete.
- Remember that you are only allowed one sheet (both sides) of notes, everything else besides that and the test itself must be off of your workspace.
- Please show ALL relevant work for your answers and provide explanations when prompted. Failure to do either will result in loss of credit.

In the lectures we discussed two modes of thinking: System 1 (which represents fast, intuitive understanding) and System 2 (which represents slow, conscience reasoning).

- 1. (3 points) Give an example of a human mental task that is performed by System 1.
- 2. (3 points) Give an example of a human mental task that is performed by System 2.
- 3. (4 points) The logic paradigm we discussed in class matches the notion of System 2 thinking. When a human solves a mathematical puzzle, such as computing angles or lengths in a triangle, give some examples why this still requires System 1 thinking.

Informed Search 20 points

Consider the following problem in a grid-based world. You are given a 4x4 grid where the agent starts at the position (0, 1) and needs to reach the goal at (3, 3). The grid has some obstacles through which the agent cannot pass. You must use the A\* search algorithm to find the shortest path from the start to the goal.

The grid is as follows, where "S" is the start, "G" is the goal, "X" represents an obstacle, and "·" represents an empty space:

	S	•	
	X		X
•	•	•	
X	•	X	G

Assume that the movement is allowed in the four cardinal directions (up, down, left, right), and the cost of moving from one cell to an adjacent one is always 1.

4. (5 points) Heuristic Function: Define a suitable heuristic function for the A\* algorithm to use in this scenario. Explain why your heuristic is admissible.

5. (10 points) A Search\*: Using your defined heuristic, perform the A\* search to find the optimal path from the start to the goal. Show your work by describing the steps the algorithm would take by drawing the search tree, including the nodes explored, their accumulated and heuristic costs, and the order in which they are expanded.

6. (5 points) Analysis: Explain how the heuristic affects the search process. Compare it to an uninformed search strategy (e.g., breadth-first search) in terms of the number of nodes expanded and the efficiency of finding the goal (no actual numbers needed).

Write	first-order	logic	representations	of tl	he fol	lowing	sentences.
VVIIIC	mot oraci	IUZIC	1 C D I C S C I I L L L L L L L L L L L L L L L L L	OI U	110 101	LOWILLE	SCHILLICUS.

- 7. (2 points) All humans are mortal.
- 8. (2 points) Socrates is a human.
- 9. (2 points) All mortals eventually die.
- 10. (2 points) Socrates will eventually die.
- 11. (4 points) Convert all rules to Conjunctive Normal Form (CNF). You do not need to restate rules that are already in CNF.

12. (8 points) Carry out a resolution proof of the last sentence from the first three sentences.

We are tasked with assigning rooms to 5 guests, ensuring that no two guests are assigned the same room, and each guest is assigned a room they prefer.

The domain for each variable is the set of rooms each guest is willing to stay in:

```
\begin{aligned} \text{Domain(Alice)} &= \{ \text{Room 1, Room 3, Room 4} \} \\ \text{Domain(Bob)} &= \{ \text{Room 2, Room 3, Room 5} \} \\ \text{Domain(Charlie)} &= \{ \text{Room 1, Room 2} \} \\ \text{Domain(David)} &= \{ \text{Room 1, Room 2, Room 4, Room 5} \} \\ \text{Domain(Eve)} &= \{ \text{Room 1, Room 3, Room 5} \} \end{aligned}
```

Each guest must be assigned to exactly one room. No two guests can be assigned to the same room. The goal is to assign a room to each guest while satisfying all the constraints.

13. (10 points) Now, use the minimum remaining values (MRV) heuristic and forward checking. Fill in the following table. In case of ties follow alphabetical order.

Step	Alice	Bob	Charlie	David	Eve
0	Room 1, 3, 4	Room 2, 3, 5	Room 1, 2	Room 1, 2, 4, 5	Room 1, 3, 5
1					
2					
3					
4					
5					