

Question-Answering Based on Virtually Integrated Lexical Knowledge Base

Key-Sun Choi	Jae-Ho Kim	Masaru Miyazaki	Jun Goto	Yeun-Bae Kim
KAIST,Korterm Daejeon 305-701 Korea kschoi@cs.kaist.ac.kr	KAIST,Korterm Daejeon 305-701 Korea jjaeh@world.kaist.ac.kr	NHK STRL Tokyo 157-8510 Japan miyazaki.m-fk@nhk.or.jp	NHK STRL Human Science Tokyo 157-8510 Japan goto.j-fw@nhk.or.jp	NHK STRL Human Science Tokyo 157-8510 Japan kimu.y-go@nhk.or.jp

Abstract

This paper proposes an algorithm for causality inference based on a set of lexical knowledge bases that contain information about such items as event role, *is-a* hierarchy, relevant relation, antonymy, and other features. These lexical knowledge bases have mainly made use of lexical features and symbols in **HowNet**. Several types of questions are experimented to test the effectiveness of the algorithm here proposed. Particularly in this paper, the question form of “why” is dealt with to show how causality inference works.

1 Introduction

A **virtually linked knowledge base** is designed to utilize a pre-constructed knowledge base in a dynamic mode when it is in actual use.

An open-domain question answering architecture must consist of various components and processes (Paşca, 2001) that include WordNet-like resources, part of speech tagging, parsing, named entity recognition, question processing, passage retrieval, answer extraction, and answer justification. Consider a question like the following: “Why do doctors cure patients?”

The answer may be obtained by commonsense knowledge as follows:

1. A patient suffered from a disease.
2. A doctor cures the disease.
3. The doctor cures at hospital.

4. Doctor is an occupation.
5. So the doctor cures the patient.

These sentences are transformed into propositional forms, as illustrated below:

6. `sufferFrom(patient,disease)`
7. `cure(doctor,disease)`
8. `cure(doctor,at-hospital)`
9. `occupation(doctor)`
10. `cure(doctor,patient)`

Linguistic knowledge bases like WordNet (Miller, 1995), EDR dictionary (Yokoi, 1995) and HowNet (Dong, 1999) have been used to interpret these sentences.

Moldovan et al. (2002) generated lexical chains from WordNet in order to trace these topically related paths and thereby to search for causal explanations. A conceptual word C_j inside of a gloss under a synset C_i is linked to the synset C_j .

HowNet (Dong et al. 1999) is a linguistic knowledge base that is designed to have the definition of words and concepts as well as event role and role-filling entities. Commonsense knowledge like naive physics is also built up through **event role relation** like the relation of *sufferFrom* requiring *cure*.

HowNet is modularized into separate knowledge spaces for entity hierarchy, event hierarchy, antonymy, syntax, attributes, etc. Relations between various concepts (e.g., part-of, relevance, location) are defined implicitly in the definition of each concept.

This paper will focus on building an algorithm that allows for searching for some topical paths in order to find causal explanations for questions like “Why do doctors cure patients?” or “Why do patients pay money?” as illustrated in Figure 1.

3 Interpretation of Lexical Knowledge

Consider the following three sentences:

11. Doctors cure patients.
12. Doctors earn money.
13. Patients pay money.

One major concern is finding **connectability** among words and concepts. As shown in Figure 2, the following facts are derived:

14. Doctor is relevant to occupation.
15. Occupation allows you to earn money.

Because there exists a converse relation between **give** and **take**, their hyponyms **earn** and **pay** also fall under converse relation. It is something like the following social commonsense as shown in Figure 2: "If someone X pays money to the other Y, Y earns money from X."

We humans now understand the reason for "why patients pay money." The answer is that "doctors cure patients as their occupation allowing them to earn money."

The following is a valid syllogism where Y is being instantiated to **doctor**:

If "X pays money to Y" is equivalent to "Y earns money from X"¹, and "a doctor earns money from X", then "X pays money to the doctor".

Consider the next syllogism: If "a doctor cures X" and "doctor is an occupation" and **Axiom 1**, then "the doctor earns money from X".

Axiom 1 is needed to make such a syllogism that "If Y cures X and Y is an occupation, then Y earns money from X." Then our challenge is to find out this **Axiom 1** from the lexical knowledge bases. It is a commonsense and thus there is a gap in the lexical knowledge base.

The following is a list of questions derived from the three sentences of 11, 12 and 13 which are designed to discover such axioms (or rules) from a set of lexical knowledge bases: "Why do

doctors cure patient?", "Why do doctors earn money?", and "Why do patients pay money to doctors?"

4 Connectability: Similarity Measure

Consider the query "Why do doctors cure patients?" Tracing Figure 2 back through Figure 1 leads to obtaining logical forms from 6 through 10. The best connectable path is planned from the first word of the question.

For each pair of words, the function called "**similar**(*,*)" will be estimated to choose the next best tracing concepts (or words). **similar**'s missions are summarized as (1) checking the connectability between two nodes², (2) selecting the best sense of the node,³ (3) selecting the best tracing candidate node in the next step. Finally, following the guidance by **similar** allows us to explain the question.

4.1 Observation and Evidence of Topical Relatedness

Let's try to follow the steps 6-10 given in the logical forms. In the question "Why do doctors cure patient?" that focuses on three words **doctor**, **cure**, and **patient**, we can trace some key words given in example sentences as follows: **patient** ~ **disease** ~ **cure** ~ **doctor** ~ **occupation** ~ **earn** ~ **pay** ~ **patient**.

What kind of lexical relations are relevant to each pair of words or concepts? Their observation can be summarized as follows:

- A) The relation between **patient** ~ **disease** is a role relation of "**sufferFrom(patient, disease)**".
- B) A sequence of **cure** ~ **doctor** ~ **occupation** ~ **earn** lets us infer the relation among **cure** ~ **earn**, which are closely linked by their *relevance* relation to **occupation**. Furthermore, **earn** and **cure** shares a common subject of these two events.
- C) The sequence of **earn** ~ **pay** is the result of a converse event relation between **earn** and **pay**.
- D) **pay** ~ **patient**: The agent of **pay** is a generic **human**. In other words, **pay** is a hy-

¹ It is a converse relation.

² A **node** means either concept or word.

³ It is similar with word sense disambiguation.

ponym for the **act** of **human**, one of whose hyponym is **patient**.

Consider again the match between the tracing sequences of concepts and the knowledge base. Going into more details, notations with footnotes will be given to each example. At this point, we will give *names* and *formalization* based on the observed characteristics.

- A) **Feature comparison**: To find the role relation among **patient** ~ **disease**, search the definition of entities (referring to **patient** and **disease**) in ways that two entities share the same event concept (referring to **cure**):⁴

patient \supset human \$cure *sufferFrom.
disease \supset medical \$cure undesired.

- B) **Interrelation**: To find the event interrelation among **cure** ~ **earn**, two possible paths are presented as follows.

- First, **inverse interrelation**: Two event's role entities can be found by searching all of entities using ***earn** ~ ***cure** that share the same subject, and using ***earn** ~ **\$cure** where the subject of **earn** is the object of **cure**.
- Second, **sister interrelation**: The following logical form can be derived from Figure 2:⁵

doctor \supset *cure #occupation.
occupation \supset earn.

Because **cure** and **occupation** is in the definition of **doctor**, a *probable* logical implication can be derived as follows:⁶

*cure \supset ~#occupation.

- C) **Converse/antonymy**: **earn** and **pay** have their respective hypernyms **take** and **give**. There exists a *converse* relation between these two hypernyms.

- D) **Inheritance**: The relation among **pay** ~ **patient** is represented as follows:⁷

pay \prec act
human \supset *act
patient \prec human

4.2 Rationale of Connectability

In the former section, we summarized four characteristics⁸ of causality (relatedness)-based path finding: feature comparison, interrelation, converse/antonymy in their hypernym's level, and inheritance. Among search spaces available, it is necessary to find out a measure of guiding the optimal⁹ path tracing.

We will call such a measure **similar** which will be defined according to the four characteristics just mentioned. Further details about the calculation formula will be presented again later.

- A) For "feature comparison", the measure **feature similar(X,Y)** defines the notion of similarity between the features in X and Y.

- B) There are two interrelations in the last section.

- For "inverse interrelation", **inverse similar(X,Y)** calculates how much similarity exists between X θ and Y θ in a manner that X θ = {Z | Z \subset θ X}, where θ X is an abstraction of role-marked concepts like *X, \$X, #X, etc. Thus **inverse similar(X,Y)** = **similar(X θ ,Y θ)**.

- For "sister interrelation", the measure **sister similar(X,Y)** means the following two situations: First, X and Y are features to define one concept (say, W). Second, one of them, say, Y's definitional feature concepts (referring to Z) are *similar* with X such that X and Z are similar if W \supset X \cap Y and Y \supset Z.

- C) **Converse** or **antonymy**: The converse relation **converse(X,Y)** can be found by the measure **feature similar**. **converse(X,Y)** is formulated by X \subset θ Y and Y \subset θ X where θ = converse.

⁴ According to HowNet convention, "\$" represents patient, target, possession, or content of an event, and "*" represents agent, experiencer, or instrument. " \supset " means **implies** or **has features**.

⁵ "#" means "relevant".

⁶ "~" means "very probable".

⁷ " $X \prec Y$ " means "Y is hypernym of X".

⁸ Their exhaustiveness should be discussed later.

⁹ "optimal" will not be discussed.

- D) Using **inheritance** property in the concept hierarchy, relations between hypernym of concepts X and Y are inherited to X and Y in a way that X and Y is *similar* if there exist X' and Z such that $X \prec X'$, $Z \supset \theta X'$, and $Y \prec Z$ where θ is a pointer or null. This inheritance tracing can be determined by how much similar X and Y are in terms of their path upward based on the relation of hypernym. We will define **path similar**. But tracing the path upward following hypernym links is to be described later according to the algorithm.

A measure called **similar** will be defined based on the discussion in this section. Then an algorithm is introduced through this measure with an example.

5 Measures

In the last section, we discussed four kinds of the measure **similar**.

- path similar,
- feature similar,
- inverse similar,
- sister similar.

For **feature**, **inverse**, and **sister similar** functions, **path similar** is used as a basis of calculation. They are different with respect to both their search method and the depth of expanding features. **feature similar** finds similar features by using **path similar**. **inverse similar(X,Y)** searches for entries that contain X and Y as features and then use the **path similar**. In the same way, **sister similar** finds sister concepts, expands them, and finally measures using the **path similar**.

Since **path similar** plays a key role in all these search and measure processes, its role will be explained in the next subsection. Other measures are only dealt with as part of the algorithm.

5.1 Similarity Based on Hierarchy and Feature

The mission of the measuring function **similar(X,Y)** is to calculate their relevancy between two concepts or words whether they are of type entity, event, or of some other type.

If X and Y belong to different types of knowledge plane (e.g., entity and event), it is hard to compare their hypernym path upward to the top concept. However, if different types of concepts have any relevance to (connect) causality, we will use **feature similar** or **inverse similar** after finding the same type of concepts to calculate the **path similar**. Now we will explain the above by using two pairs of concept type: entity-entity and entity-event, without loss of generality.

First, **pathsimilar(entity X, entity Y)** is defined as follows:

$$\begin{aligned} & \text{pathsimilar}(X, Y) \\ &= \frac{2 \times |\text{path}^+(X) \cap \text{path}^+(Y)|}{|\text{path}^+(X)| + |\text{path}^+(Y)|} \end{aligned}$$

where $\text{path}^+(X)$ is the ordered list of hypernym for X by descending order from the top concept. For example,

$$\begin{aligned} & \text{path}^+(\text{doctor}) \\ &= [\text{entity} \dots \text{animate} \dots \text{human} \dots \text{doctor}] \\ & \text{path}^+(\text{patient}) \\ &= [\text{entity} \dots \text{animate} \dots \text{human} \dots \text{patient}] \end{aligned}$$

Because $|\text{path}^+(X)|$ counts the number of nodes on the path, $\text{pathsimilar}(\text{doctor}, \text{patient}) = 2 \times 6 / (7+7) = 0.857$.

Second, **pathsimilar(entity N, event V)** is defined as follows:

$$\begin{aligned} & \text{pathsimilar}(N, V) \\ &= \text{Max pathsimilar}(N.\text{feature}, V) \end{aligned}$$

where $N.\text{feature}$ means the feature list in the definition of N. The following is an illustrative example for the definition:

money \supset \$earn, *buy, #sell, \$setAside,
it is equivalent to the following:

$$\text{money.feature} = [\text{\$earn}, \text{*buy}, \text{\#sell}, \text{\$setAside}].$$

So $\text{pathsimilar}(\text{money}, \text{earn}) = \text{pathsimilar}(\text{earn}, \text{earn}) = 1$. According to this *Max* function, the selection priorities for the path can be specified.

Third, **pathsimilar(event V, entity N)** is defined by **inverse similar** as follows: $\text{pathsimilar}(V, N) = \text{Max pathsimilar}(V.\text{inverse}, N)$. For example, $\text{pathsimilar}(\text{cure}, \text{doctor}) = \text{Max pathsimilar}(\text{cure}.\text{inverse}, \text{doctor}) = \text{Max pathsimilar}(\{\text{doctor}, \text{medical worker}, \text{medicine}, \text{patient}\}, \text{doctor})$.

Fourth, **pathsimilar(event X, event Y)** shares the same formula with **pathsimilar(entity X, en-**

tity Y) shown before. But, we can give another inverse $\text{pathsimilar}(\text{event } X, \text{event } Y) = \text{Max pathsimilar}(X.\text{inverse}, Y.\text{inverse})$.

5.2 Logical Implication and Expansion Depth

All of the relations in Figure 2 are translated into logical form (see below). As shown in “Interpretation as Abduction” (Hobbs et al. 1988), “abductive inference is inference to the best explanation”. These relations showed “the interpretation of a text is the minimal explanation of why the text would be true” based on the abductive inference. By the same token, “the interpretation of a question is the minimal explanation of why the question would be true” based on a set of lexical knowledge bases.

Before proceeding to our algorithm, an example will be applied to abductive inference briefly as a set of logical forms as well as a diagram in Figure 3.

16. $\text{doctor} \supset \text{human}, \# \text{occupation}, * \text{cure}, \text{medical}$.
17. $\text{medicine} \supset * \text{cure}$.
18. $\text{disease} \supset \$ \text{cure}$.
19. $\text{cure} \supset \text{medical}, \{ \text{agent}, \text{patient}, \text{content} \}$.
20. $\text{medical} \supset \# \text{cure}$.
21. $\text{converse}(\text{pay}, \text{earn}) \supset \text{agent}=\text{source}, \text{target}=\text{agent}$.
22. $\text{patient} \supset \text{human}, \$ \text{cure}$.
23. $\text{occupation} \supset \text{affairs}, \text{earn}$.
24. $\text{cause}(\text{cure}, \text{sufferFrom}) \supset \text{patient}=\text{experiencer}, \text{content}=\text{content}$.
25. $\text{possibleConsequence}(\text{cure}, \text{beRecovered}) \supset \text{patient}=\text{experiencer}, \text{content}=\text{stateIni}$.

While pursuing the path tracing enabling minimal explanation, now we are going to propose a connectability measure **similar** such as “weighted abduction” (Hobbs et al. 1988). As “likelihood estimation” is useful to consider a “bounded conditioning” (Russell & Norvig, 1995) in a belief network, the “expansion depth” of **similar** will be useful for the explanation path tracing for the purpose of the minimal explanation of the question.




Figure 3: Virtual Linking for Causality

The “expansion depth level” of **similar** has two kinds of utilities: one is to find the minimal explanation, and the other is to be dynamically adaptable to the level of interaction. This **level of similar** is defined as a function $\text{similar}(\text{Level})(X, Y)$ for X and Y, concepts or words in the following manner:

- $\text{similar}(0)=\text{pathsimilar}$: they use only themselves and their hypernym path from X and Y.
- $\text{similar}(1)=\text{feature_similar}$: they use their features that are expanded one more than $\text{similar}(0)$.
- $\text{similar}(2)=\text{inverse_similar}$
- $\text{similar}(3)=\text{sister_similar} = \text{inverse_similar} \times \text{feature_similar}$.

Depending on what level of **similar** is chosen, the search paths may be changed. A snapshot up to $\text{similar}(2)$ is given in Figure 4.




Figure 4: Snapshot for $\text{similar}(2)$.

6 Tracing Algorithms

6.1 Algorithm Crossover

The overall algorithm¹⁰ flow depends on **similar(Level)** as in the next program.

Algorithm Crossover

```
For Level=0..N until stopping
condition is satisfied:
```

```
    Expand the trace
        by similar(Level)
```

For example, when Level=1, the algorithm **crossover** finds a very primitive answer to the question "Why do doctors cure patients?" We will expand other features of **doctor** except for **cure** because **cure** has a syntactic relation between **doctor** and **patient**.

As shown in the logical forms (16~24) introduced in the previous section, this algorithm in Level=1 can find the following concepts as a result: **medical**, **human**, **cure** (**\$cure**, ***cure**).

When Level=2, the algorithm **crossover** will seek higher-order relations (like the hypothesis) from the concept (by **inverse_similar**), converse/antonymy relations (by **feature_similar**), and event relations (if any, for use in knowing the cause or consequence relation). Consider again our example "Why do doctors cure patients?" by using the previous section's logical forms. The results are as follows:

```
*cure = {doctor, medicine}
$cure = {patient, disease}
*sufferFrom = {patient}
$sufferFrom = {disease}
```

Its generated meaning may be "If a doctor cures a patient, the patient is recovered from disease. Because patients suffer from diseases, doctors cure the patients. Patients are recovered after getting cured."

6.2 Stopping Condition

Stopping conditions for the algorithm **crossover** are as follows:

- (1) Event roles are filled up.
- (2) If no event is found in the feature definition, increase **similar** level.

- (3) [weak stopping condition] When there is no event, one of the other features is commonly shared between two concepts. For example, **medical** is a common feature between **doctor** and **cure**.

6.3 Hypernym Climbing

In section 4.2, *inheritance* was discussed for the purpose of finding a relation among **pay** ~ **patient**. After trying to make Level=2 in section 5.2, we have been motivated to find the interrelation between hypernyms. The algorithm **crossover** is updated.

Algorithm Crossover+

```
For Level=0..N until stopping
condition is satisfied:
```

```
    Expand the trace
        by similar(Level)
    If Level >= 2, then
        repeat climb up hypernym
        until it matches with
            the higher relation.
```

6.4 Algorithm Crossover++

Consider again the question "Why do patients pay money to doctors?" As shown in Figure 1, the best trace is **\$cure** ~ ***cure** ~ ***earn** ~ **\$pay**. It provides an explanation for the statement that "patients are cured by doctors ~ doctors earn money ~ patients pay money to doctors". This minimal explanation is observed by switching over the role pointers θ whenever tracing is performed. For example, **\$cure** was switched over to ***cure**. This extended version of algorithm is called **Crossover++**.

7 Evaluation

By the algorithm **Crossover**'s, the behavior of "why"-type questions are investigated by extracting the answer paths as follows.

Q: Why does patient pay money? Path: patient ~ \$cure ~ doctor ~ #occupation ~ \$earn ~ money Q: Why does researcher read textbook? Path: researcher ~ #knowledge ~ #information ~ readings ~ textbook

Paths between two concepts can now be found by simply checking the presence of a path among the concepts reached from an initial concept. Table

¹⁰ This algorithm will be called "crossover".

1 and Table 2 show examples of the number of paths as a function of path size.

Source concept	Reached concepts path size		
	1	2	3
cure	275	593	24854
eat	268	605	24903
study	276	358	23172
food	532	650	18066
human	6713	3686	51171
money	328	1312	19827

Table 1: Examples of destination concepts reached starting from one source concept

Concept1	Concept2	Paths number length		
		1	2	3
cure	human	0	78	26
pay	money	0	7	3
human	money	0	3	7
food	human	0	0	28
read	write	0	4	6
earn	pay	0	0	7

Table 2: The number of paths between pairs of concepts

8 Discussion

HowNet (Dong et al. 1999-2003) has already defined the words and concepts using the features of concepts. Each event role is also defined under the notion of feature. On the other hand, WordNet (Miller, 1995) consists of synsets and their glosses. Moldovan et al. (2002) showed a lexical chain to use words in glosses in order to trace the topically related paths.

Their search boundary is restricted to the shapes: V, W, VW, and WW. In this paper, **cross-over*** is shown to be flexible and search for a more probable explanation.

9 Conclusion

In this paper, we have attempted to show how to link pre-existing lexical knowledge bases to one another. The major issue was to generate a path to give explanation paths for answering the “why”-type question. While observing the causality path behavior, we proposed the measure **similar** and also the algorithm **crossover**. It is compared with the “weighted abduction” (Hobbs et al. 1988) and “lexical chain” (Moldovan et al. 2002).

With the ability to provide explanations depending on the level of the measure **similar**, our proposed algorithm adapts itself to the user knowledge level and well as to the type of interactive questions to enable more detailed level of question-answering.

References

- Zhen Dong and Q. Dong. 1999-2003. HowNet, <http://www.keenage.com/>
- Jerry R. Hobbs, Mark Stickel, Douglas Appelt and Paul Martin. 1988. Interpretation as Abduction, *Proceedings of the Conference on 26th Annual Meeting of the Association for Computational Linguistics*.
- Doug Lenat, George Miller, and Toshio Yokoi. 1995. CYC, WordNet, and EDR: Critiques and Responses, *Communications of the ACM*, 38(11):45-48.
- Bernardo Magnini and Manuela Speranza. 2002. Merging Global and Specialized Linguistic Ontologies, *Proceedings of Ontolex 2002* (Workshop held in conjunction with *LREC-2002*), Las Palmas.
- George Miller. 1995. WordNet: a lexical database. *Communications of the ACM*, 38(11):39-41.
- Dan Moldovan and Adrian Novischi. 2002. Lexical Chains for Question Answering, *Proceedings of COLING 2002*, Taipei.
- Takanoa Ogino and Masahiro Kobayashi. 2000. Verb Patterns extracted from EDR Concept Description, *IPSJ SIGNotes Natural Language Abstract*, No.138 – 006:39-46.
- Alexandru Marius Paşca. 2001. *High-Performance, Open-Domain Question Answering from Large Text Collections*. Ph.D Dissertation, Southern Methodist University.
- H. Sofia Pinto, Asunción Gómez-Pérez and João P. Martins. 1999. Some Issues on Ontology Integration, *Proceedings of the IJCAI-99 workshop on Ontologies and Problem-Solving Methods (KRR5)*, Stockholm.
- Stuart Russell and Peter Norvig. 1995. *Artificial Intelligence: A Modern Approach*. Prentice-Hall.
- Toshio Yokoi. 1995. The EDR Electronic Dictionary. *Communications of the ACM*, 38(11).